Document Log Item

Addressing			
From		То	
"Conlan, Linda" <linda.conlan@amec.com></linda.conlan@amec.com>		Carmen Santos/R9/USEPA/US@EPA	
сс		ВСС	
"Stone, Bryan" < Bryan.Stone	e@amec.com>		
Description			Form Used: Memo
Subject		Date/Time	
Pechiney Call Follow-up Information		06/28/2011 05:46 PM	
# of Attachments	Total Bytes	NPM	Contributor
0	8,148		
Processing			
Comments			

Body

Document Body

Carmen,

As a follow-up to our earlier call, the gradational specification for the crushed concrete will meet the Greenbook spec for crushed miscellaneous base (Spec #200.2.4). The grain sizes will vary, with the maximum size not to exceed ~1.5-inches, and the smaller grain sizes will range from less than ~1.5-inches to 0.003-inches. Please let me know if you need any additional information.

Thank you,

Linda Conlan, PG

Principal Geologist

AMEC Geomatrix, Inc.

510 Superior Avenue, Suite 200, Newport Beach, CA 92663

Main: 949.642.0245 | Direct: 949.574.7083 | Cell: 949.355.3631 | Fax: 949.642.4474

E-mail: linda.conlan@amec.com

NOTICE: The information contained in (and attached to) this e-mail is intended only for the personal and confidential use of the designated recipient(s) named above. This message may be a consultant/client, attorney/client or attorney work product communication and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you received this communication in error, please notify us immediately by reply e-mail, and delete the original message (including attachments).

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed. Its contents (including any attachments) may contain confidential and/or privileged information.

If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents.

If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.